



Good for the planet and good for our bodies: Does a planetary health diet improve patient health?

CLINICAL QUESTION

How effective and safe is encouraging a plant-rich, reduced-meat diet for patients, and how does it impact the earth?

BOTTOM LINE

Low-consumption of red and processed meat paired with increased vegetable and fruit intake is associated with a reduced risk of cardiovascular disease, diabetes, hypertension, colorectal cancer and all-cause mortality. This diet has a smaller environmental footprint resulting in less freshwater, land and energy use and decreased greenhouse gas emissions.

EVIDENCE

Observational data suggests that consumption of cured, salted, smoked, dried and canned meats are associated with an increased risk of colon cancer,^{1,2} type 2 diabetes,³ cardiovascular mortality and all-cause mortality.^{4,5}

Meta-analysis of 13 cohort studies showed processed meat consumption was associated with an increased risk of all-cause mortality in both men (RR 1.22; 95% CI 1.13-1.31) and women (RR 1.23; 95 % CI 1.19-1.27). The RR for a 50 g/d increase in processed meat intake was 1.25 (95 % CI 1.07-1.45).⁴

Red Meat Substitutions

Replacing red meat with chicken, fish, or plant protein is associated with a lower incidence of type 2 diabetes,⁶ coronary heart disease,⁷ dementia,⁸ cardiovascular,^{7,8} and all-cause mortality.^{7,8}

A meta-analysis of 13 prospective cohort studies showed that those in the highest category of plant protein intake had a lower risk of all-cause mortality (pooled effect size 0.92, 95% CI 0.87-0.97) than those in the lowest intake category. A 3% increase in plant protein for energy per day resulted in a 5% drop in mortality.⁷

Plant-Rich Diets

Observational data has demonstrated that diets rich in fruits, vegetables, nuts and legumes decrease the incidence of hypertension,⁹ type 2 diabetes,^{9,13} coronary heart disease,¹⁰ cataracts¹¹ and all-cause mortality.^{12,13}

A systematic review and meta-analysis of 12 prospective cohort studies with 508,861 participants demonstrated improved hazard ratios for the highest adherence to plant-based diets (PBDs) as compared to the lowest level of adherence - 0.90 (95% CI: 0.82-0.99) for all-cause mortality and 0.77 (95% CI: 0.70-0.86) for coronary heart disease (CHD) mortality.¹³

Environmental Implications

Plant-rich diets are more sustainable with lower greenhouse gas emissions,^{14,15,17} and lower rates of land,^{14,15} water^{14,15,16} and energy use.¹⁵

Limitations

The majority of evidence supporting dietary interventions relies on observational data, which may be subject to multiple confounders.

CONTEXT

The EAT-Lancet Commission aims to develop global targets based on best evidence for healthy diets and sustainable food production. The suggested planetary diet is not only rich in vegetables, fruits, nuts, whole grains and legumes with minimal or no consumption of processed and red meat, it also promotes unsaturated oil use and limited intake of added sugar and refined carbohydrates.¹⁸

REFERENCES

- ¹Chan DS, Lau R, et al. Red and processed meat and colorectal cancer incidence: meta-analysis of prospective studies. *PLoS One*. 2011;6(6)
 - ²Flood A, Rastogi T, et al. Dietary patterns as identified by factor analysis and colorectal cancer among middle-aged Americans. *Am J Clin Nutr*. 2008 Jul;88(1):176-84.
 - ³Feskens EJ, et al. Meat consumption, diabetes, and its complications. *Curr Diab Rep*. 2013 Apr;13(2):298-306.
 - ⁴Abete I, Romaguera D, Vieira AR, Lopez de Munain A, Norat T. Association between total, processed, red and white meat consumption and all-cause, CVD and IHD mortality: a meta-analysis of cohort studies. *Br J Nutr*. 2014 Sep 14;112(5):762-75.
 - ⁵Pan A, Sun Q, et al. Red meat consumption and risk of type 2 diabetes: 3 cohorts of US adults and an updated meta-analysis. *Am J Clin Nutr*. 2011 Oct;94(4):1088-96.
 - ⁶Etemadi A, Sinha R, et al. Mortality from different causes associated with meat, heme iron, nitrates, and nitrites in the NIH-AARP Diet and Health Study: population based cohort study. *BMJ*. 2017 May 9; 357
 - ⁷Naghshi S, et al. Dietary intake of total, animal, and plant proteins and risk of all cause, cardiovascular, and cancer mortality: systematic review and dose-response meta-analysis of prospective cohort studies. *BMJ*. 2020 Jul 22;370
 - ⁸Sun Y, Liu B, et al. Association of Major Dietary Protein Sources With All-Cause and Cause-Specific Mortality: Prospective Cohort Study. *J Am Heart Assoc*. 2021 Feb;10(5)
 - ⁹Alexander S, et al. A plant-based diet and hypertension. *J Geriatr Cardiol*. 2017 May;14(5):327-330. doi: 10.11909/j.issn.1671-5411.2017.05.014.
 - ¹⁰Satija A, Bhupathiraju SN, et al. Healthful and Unhealthful Plant-Based Diets and the Risk of Coronary Heart Disease in U.S. Adults. *J Am Coll Cardiol*. 2017 Jul 25;70(4):411-422
 - ¹¹Appleby PN, et al. Diet, vegetarianism, and cataract risk. *Am J Clin Nutr*. 2011 May;93(5):1128-35.
 - ¹²Orlich MJ, et al. Vegetarian dietary patterns and mortality in Adventist Health Study 2. *JAMA Intern Med*. 2013;173(13):1230-1238.
 - ¹³Jafari S, Hezaveh E, Jalilpiran Y, Jayedi A, Wong A, Safaiyan A, Barzegar A. Plant-based diets and risk of disease mortality: a systematic review and meta-analysis of cohort studies. *Crit Rev Food Sci Nutr*. 2021 May 6:1-13.
 - ¹⁴Aleksandrowicz L, et al (2016) The Impacts of Dietary Change on Greenhouse Gas Emissions, Land Use, Water Use, and Health: A Systematic Review. *PLoS ONE* 11(11).
 - ¹⁵Miriam E Nelson, et al. Alignment of Healthy Dietary Patterns and Environmental Sustainability: A Systematic Review, *Advances in Nutrition*, Volume 7, Issue 6, November 2016, Pages 1005–1025.
 - ¹⁶Mekonnen, M.M., Hoekstra, A.Y. A Global Assessment of the Water Footprint of Farm Animal Products. *Ecosystems* 15, 401–415 (2012).
 - ¹⁷Springmann M, et al. Analysis and valuation of the health and climate change cobenefits of dietary change. *Proc Natl Acad Sci U S A*. 2016 Apr 12;113(15):4146-51.
 - ¹⁸Agustina R, Branca F, et al. Food in the Anthropocene: the EAT-Lancet Commission on healthy diets from sustainable food systems. *Lancet*. 2019 Feb 2;393(10170):447-492.
-

CO-AUTHORS

Shari Fallis, MD, CCFP,
Sophie Thornton, BSc Environmental Science

In partnership with:

